

# TOMAHAWK 500B

Turbo Mill

**Teagle**



[www.teaglemachinery.com](http://www.teaglemachinery.com)

# Process & distribute

## One step Bedding, Feeding and Spreading

Load the bale into the Tomahawk Turbo Mill and set the tractor PTO running. Direct drive to the mill rotor is engaged and the onboard pump provides hydraulic power to the booster fan. Designed to process and distribute baled material with a moisture content up to 20%.

### Set



- Select the appropriate screen in the mill (3/8"-2") to produce the length of material required.

### Process



- Engage the tractor PTO and the high speed turbo fan delivers processed material at a high rate for the operator.


### Distribute



- The high speed fan can be connected to various delivery systems. e.g. 5" diameter pipe/manifold.

## Controlled Environment with the Tomahawk 500B Mill

Process material outside, distribute inside. A quick fit connection to the Tomahawk outside enables bedding material to be spread with a flexible tube or fixed manifold system. Disturbance of livestock is minimised, and the risk of biocontamination is reduced.



### Remote Control

Remote control up to 330ft away from the tractor enables the operator to start/stop the flow of the straw.

# 500B



**SUITABLE FOR:** Poultry and cubicle bedding, pre-processing for TMR and crop mulching.

| Capacity (Max)    | Tractor HP (Min) | Material output |
|-------------------|------------------|-----------------|
| 5500 lbs per hour | 120              | 3/8" - 2"       |



## The consistent performer

One step processing for round and rectangular bales of dry material to a consistently short length.

The independent hydraulic system is PTO driven and features an on-board pump, tank, filter and fan cooled radiator with remote start/stop control.


| SPECIFICATIONS                          | 505M      | 505XLM      |
|---|-----------|-------------|
| Maximum Round Bale Diameter             | 60"       | 60"         |
| Maximum Rectangular Bale Size           | n/a       | 48"x48"x96" |
| Drum Diameter (Internal)                | 72"       | 72"         |
| Drum Length (Internal)                  | 60"       | 118"        |
| Overall Height (resting on the ground)* | 96"       | 110"        |
| Overall Width (chute closed/open)       | 110"-123" | 110-123"    |
| Overall Length                          | 100"      | 156"        |
| Weight                                  | 3064 lbs  | 3700 lbs    |
| Minimum tractor power required**        | 120hp     | 120hp       |

\*Working heights will increase by up to 40" depending on tractor linkage.

# Teagle

With over 30 years experience designing, manufacturing and supporting The Tomahawk range of Bale Processors, Teagle has established a reputation for performance and reliability, offering feeding and bedding solutions for all applications.

**call our Sales Desk:**  
**Toll Free: 1-855-383-2453**



**North America Sales Manager**

Andy Robson 252 292 0911

Toll Free: 1-855-383-2453

1-855-3TEAGLE

salesna@teagle.co.uk

www.teaglemachinery.com

**KEY:** Distributor Locations

CUMMINGS & BRICKER EDNEY HARCO LAIRD MANUFACTURING MTI CANADA SHOW ME SHORTLINE TRAM SALES

**T400/T500**



**T7100**



**T8100/T8500**



**T9500/T1010**



**TELEHAWK**



# Teagle

**Teagle Machinery Ltd**

Blackwater, Truro, Cornwall TR4 8HQ

sales@teagle.co.uk www.teagle.co.uk

Tel: 01872 560592